

110

Electric Heating Tea Leaf Dryer 16 110

14.5 . 60-75 . 50%

1.

- 1. 2. 3. 40% 4.

Tea Dryer Machine

/ / / / /

Table with 3 columns: , , . Rows include 80-120°C and 20-60 .

Double-door Tea Dryer Machine

Double-door Tea Dryer Machine :

DL-6CHZ-14	
143×163×2320 mm.	
380V 50HZ	
18.0 mm	
3 mm	
0.75 mm	
	1400 mm
	380 V
40 mm	
	1250 mm
	220 mm
6 mm	
14.5 m <sup>2</sup>	
16	
60-75 mm./mm	

	6CHZ-2	6CHZ-5	6CHZ-9	6CHZ-14	6CHZ-34
10 mm		14 mm	16 mm	16 mm	36 mm
50 mm.		70 mm.	90 mm.	110 mm.	110 mm.
2 mm <sup>2</sup>		5 mm <sup>2</sup>	9 mm <sup>2</sup>	14 mm <sup>2</sup>	34 mm <sup>2</sup>
6-8 mm.		15-20 mm.	27-36 mm.	60-75 mm.	102-136 mm.

mm/mm

mm/mm

**Assistant**  
...Delix Tea Machine

1/2 力. 105 200g

## Rotary Tea Dryer DL-6CHZ-14

Voltage: 380V 50HZ  
Heating Power: 18 kw  
Tray Layers: 16 Layers  
Tray Diameter: 110 cm  
For All Kind Tea

60 kg Per Batch  
Drying Area: 14.5m<sup>2</sup>  
Stainless Steel Trays



**L:143cm W:163cm H:232cm**

Website: [delijx.com](http://delijx.com) Email: [info@delijx.com](mailto:info@delijx.com)  
WhatsApp/ WeChat/ Tel: 0086-18120033767











Quanzhou Deli Agroforestrial Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : info@delijx.com

Web: www.delijx.com

↓↓ 歡迎各界人士垂詢、參觀、指導和業務洽談。 10 年經驗 ↓ ↓