□□□□□□□□□□

□□□□□□□□□

②	□□□□□□□□□□□□□□□□□□□□	□	□□□□□□□
③	□□□□□□□□□□□	□	□□□□□□□□□□□□□□
□	□□□□□□□□□□	□	□□□□□□□□□□□□□□
□	□□□□□□□□□□□□□□	□	□□□□□□□□□
□	□□□□□□□□□□□□□□□□	□	□□□□□□□□□□□□□□□
□	□□□□□□□□	□	□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

1. □□□□□□□□□□□□□□□□□□□□

Assistant
Tea Fixation Machine
DL-6CST-70QB
Voltage : 220V 50HZ
Power : 0.75 KW
Drum Diameter : 700 mm
Drum Length : 1000 mm
For Green/Oolong/Yellow Tea
Gas Heating
Capacity 50 kg/h
2.5mm Steel Board
L:156cm W:98cm H:163cm
Website: delijx.com Email: Chois@delijx.com
WhatsApp/ WeChat/ Tel: 0086-18120033767

□□□

□□□□□□□□□□□□□	5-37 □□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□	□□□□□□□□□
□□□□□□□□□□□□□□□	5 □□. / □□□
□□□□□□□□□□□□	50 □□. / □□

□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□ 2.5 □□. □□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□ T □□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□ 100%

□□□



□□□

Assistant
Deli Tea Machine
DELIJX.COM

Assistant
Deli Tea Machine
DELIJX.COM

Assistant
Deli Tea Machine
DELIJX.COM

□□□□□□

□□□□□

Assistant
Deli Tea Machine
Quanzhou Deli Agroforestrial Machinery Co., Ltd.
12# Dongqing Road, Chengxiang Town,
Anxi County, Quanzhou, Fujian, China (Mainland)
WhatsApp / WeChat: 0086-18120033767
Email : info@delijx.com
Web: www.delijx.com

□□□ ↓ □□□□