

□ □ □ □ □ □ □ □

□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□ □□ 90 □□. □□□□□□□□□□□□□□
□□□□□□□□□□ 1240 □□. □□□□□□□□□□□□□□□□□□ 220V/380 □□□□□□□□□□□□□□□□□□ 10
□□□□□□□□□□□□

[illegible][illegible]

00000000000000000000 00000000 0000000000000000 000000000000000000000000
0000000000000000000000000000 0000000000000000 0000000000000000

[illegible][illegible]




1	□□□□□□□□	⑧	□□□□□□□□□□□□□□□□
②	□□□□□□□□□□□□□□	⑨	□□□□□□
□	□□□□□□□□□□□□□□	⑩	□□□□□□□□□□□□
④	□□□□□□□□□□□□□□	□	□□□□□□□□□□□□□□□□
⑤	□□□□□□□□□□	□	□□□□□□□□□□
⑥	□□□□□□□□□□□□□□□□	□	□□□□□□□□□□□□□□□□
⑦	□□□□□□□□	□	□□□□□□□□□□□□

1.

2.
3.
4. T 100%
5.

/ /

	4-8
	4-8
	4-8



A large industrial steam boiler machine, likely for tea processing. It features a cylindrical body with a large circular opening on the left side, framed in orange. The machine is mounted on a green metal frame with four legs and casters. A blue gas cylinder is connected to the bottom left of the machine via a red hose. A control panel with various buttons and a pressure gauge is visible on the top left of the machine's body. The machine is set against a plain white background.

Gas Heating
Capacity 100 kg/h
2.5mm Steel Board

L:210cm W:123cm H:184cm

WhatsApp/ WeChat/ Tel: 0086-18120033767

Cylinder Green Tea Leaf Roasting Machine □□□□□□□□□□□□□□□□:

[illegible]



□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□
□□□□□□□□



1. 手动进气阀 (Manual Intake Valve) 用于手动控制气体的进入。
 2. 自动进气阀 (Automatic Intake Valve) 用于自动控制气体的进入。
 3. 母火点火阀 (Mother flame ignition valve) 用于点火。
 4. 手动点火阀 (Manual Igniter) 用于手动点火。



1. 在進行實驗前，應先檢查所有電線連接是否正確，並確保所有安全設施均已到位。
 2. 實驗過程中，應密切觀察設備運行狀態，如有異常情況，應立即停止實驗並報告老師。
 3. 實驗結束後，應關閉電源，並整理實驗器材，保持實驗環境整潔。
 4. 實驗報告應詳細記錄實驗過程、數據及分析結果，並附上必要的圖表。
 5. 實驗過程中，應遵守實驗室安全規則，不得隨意觸摸電氣設備。









↓ ↓

10

↓ ↓